



No 1

PIA SLIPOVER

Slipover in rib pattern w/cables
Instruction: Anita Brathetland

Size:

One size

Measurements:

Width of the back: 36 cm

Length: approx 42 cm, or suitable length

All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension.

Yarn:

KOS (62 % baby alpaca, 9 % wool,
29 % nylon, 50 g = 150 m)

SILK MOHAIR (60 % kid mohair,
15 % wool, 25 % silk, 50 g = 280 m)

TYNN MERINOULL (100 % merino
wool, 50 g = 175 m)

Yarn required:

KOS

White #1012: 3 balls

SILK MOHAIR

Natural #1012: 2 balls

TYNN MERINOULL

White #1002: 1 ball

Notions:

4 buttons

Suggested knitting needles:

Circular 3.5 mm and 5 mm

Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle

Tension:

13 st rib-pattern with double yarn (1 strand KOS + 1 strand SILK MOHAIR) and 5 mm ndls = 10 cm

Rib stitch (rib-st):

K1 in st on previous row

Rib-pattern:

Row 1: (= RS) 1 edge st, 1 rib-st, *p1, 1 rib-st*, rep from *-* end with 1 edge st.

Row 2: 1 edge st, p1, *k1, p1*, rep from *-* end with 1 edge st.

Repeat row 1 and 2.

GSR = German Short Rows:

After each turning sl st p-wise, lead yarn over right ndl, hold yarn firmly at the back until 2 loops on ndl.

The 2 loops count as 1 st.

When working rows/rnds with loops, work loops tog to 1 st.

Edge st:

First st on row: sl st p-wise with yarn in front of work.

Last st on row: k

INFO: Work slipover from neck down. Beg with neck band and work each shoulder separately. Cont to knit up sts at each side of each shoulder. To shape slanting shoulders work short rows with German Short Rows. Work back and front separately.

Work garment with double yarn = 1 strand KOS + 1 strand SILK MOHAIR

Yoke:

With double yarn and 5 mm circular ndl cast on 56 sts. Join and work 10 cm ribbing k1, p1 in rnds.

Work 1 rnd ribbing and insert 4 markers on rnd in this manner:

Work 9 sts, insert marker, work 11 sts (= shoulder sts), insert marker, work 17 sts, insert marker, work 11 sts (= shoulder sts), insert marker, work to end of rnd.

Cut yarn and beg again at first marker.

Work 9 cm rib-pattern back and forth inside 1 edge st at each side over the 11 shoulder sts.

Cast off from RS.

Cut yarn and work in the same manner over the 11 shoulder sts at other side.

Back:

Knit up 15 sts at side of one shoulder, work 17 sts ribbing from neckband and knit up 15 sts at side of the other shoulder = 47 sts.

Insert marker 15 sts in from each side.

Work **rib-pattern** back and forth inside 1 edge st at each side with GSR in this manner:

Work until second marker, turn and work until first marker, turn and work 2,2,2,2,2,3 sts more after each turning until all sts are knitted.

All further measurements from this row.

Cont **rib-pattern** over all sts until garment meas approx 38 cm, or suitable length.

Cast off in **rib-pattern**, suitable firm.**Front:**

Knit up 15 sts at one shoulder, insert marker and work 1 st in ribbing from neckband.

Turn and work back and forth in **rib-pattern** with **GSR** as follows:

Work until 2 sts after marker, turn and work 1,1,1,1,1 st more for each turning at neck side and 2,2,2,2,3 sts more for each turning at armhole side.

Cont over all sts and knit up 15 sts at side at the other shoulder = 47 sts.

Turn and cont back and forth in **rib-pattern** with **GSR** as follows:

Work until 1 st after marker, turn, work until 2 sts after marker, turn and work 1,1,1,1,1 st more for each turning at neck side and 2,2,2,2,3 sts more for each turning at armhole side.

Work 2 rows over all sts.

Insert marker around the 29 middle sts for neck.

Cont **rib-pattern** and work **diagram** over the 29 middle sts until front meas the same length as the back.

NOTE: When diagram is finished, cont further with twistings at each side until edge sts or until full length.

Cast off suitable firm in **rib-pattern**.**Finishing:****Straps (make 2):**

With 1 strand TYNN MERINOULL + 1 strand SILK MOHAIR and 3.5 mm ndl cast on 11 sts

Work 5 rows ribbing back and forth as follows: (First row = WS) 1 edge st, p1, *k1, p1*, rep from *-* end with 1 edge st.

From RS work 1 buttonhole as follows:

Work 4 sts, cast off 3 sts. Next row: cast on 3 sts above the cast-off, work to end of row.




Cont until strap meas approx 8 cm, or approx 2 cm before suitable length.


Work 1 buttonhole in the same manner as the other.

Work 5 rows ribbing.

Cast off rib-wise.

Sew 1 button at each corner by hem (see photo).

- Rib-stitch (rib-st) on RS, p on WS
- p on RS, k on WS
-  Pick up yarn between 2 sts and work this st: k 1 tbl, p1 tbl, work 1 rib-st, p1, sl 1, k2tog, pss0
-  k3tog, p1, 1 rib-st, pick up yarn between 2 sts and k this st p1 tbl, k1 tbl
-  Transfer 3 sts to first extra ndl and hold in front of work, transfer 3 sts to second extra ndl and hold in back of work, work k1, p1, k1, work sts from second extra ndl [p1, k1, p1], work sts from first extra ndl [k1, p1, k1]



29 sts

