

SUMMER COAT

SADNES GARN

THE NORWEGIAN
YARN FACTORY
SINCE 1888



SUMMER ©AT

LONG COAT W/LACE PATTERN / INSTRUCTION: ANITA BRATHETLAND



SIZES

(S) M (L) XL

MEASUREMENTS

Bust: (107) 111 (114) 118 cm

Length: approx. (100) 100 (103) 103

Sleeve length: 19 cm all sizes

All measurements are for the finished garment = personal body measurements + movement allowance. The measurements are all according to given tension.

YARN

TYNN LINE (53 % cotton, 33 % viscose, 14 % linen, 50 = 220 m)

YARN REQUIRED

Putty #1015: (7) 8 (9) 10 balls

SUGGESTED KNITTING NEEDLES

Circular and double pointed 2.5 mm and 3 mm
Needle sizes are only suggestions. If your knitting shows tighter tension, use thicker needles, for looser tension use thinner needle

TENSION

27 sts St-st with 3 mm ndls = 10 cm.

22 sts diagram B with 3 mm ndls = 10 cm

25 sts ridges with 3 mm ndls = 10 cm

EDGE ST: K EVERY ROW

BACK AND FRONT

With 2.5 mm circular ndl cast on (245) 257 (265) 277 sts and k 6 rows back and forth = 3 ridges, last row = RS.

Next row: P all sts.

Work diagram A and rep 4 times in height
Change to 3 mm circular ndl and insert marker at each side with (63) 66 (68) 71 sts for each front and (119) 125 (129) 135 sts for the back.

Cont as follows: 1 edge st, (41) 41 (41) 41 sts diagram B, diagram C, (14) 20 (24) 30 sts St-st, diagram C, (77) 77 (77) 77 sts diagram B, diagram C, (14) 20 (24) 30 sts St-st, diagram C, (41) 41 (41) 41 sts diagram B, 1 edge st.

Cont in this order until garment meas approx 80 cm, end at arrow in diagram B.

Divide at sides and work each part separately.

BACK

= (119) 125 (129) 135 sts.

All further measurements from this point.
Cast on 1 new st at each side (= edge st) and cont pattern in the same order until work meas (18) 18 (21) 21 cm.

Cast off the 29 middle sts for neck and work each side separately.

Cast off at beg of every row at neck side 2 sts once, 1 st twice.

Cont until work meas approx (20) 20 (23) 23 cm, end with a full or half diagram B.

Cast off.

Work other side in the same manner but in a mirror image.

RIGHT FRONT

= (63) 66 (68) 71 sts.

All further measurements from this point.

Cast on 1 new st at armhole side (= edge st) and work pattern in the same order as before, at the same time dec for v-neck as follows:

Work edge st, sl 1 k-wise, k1, pssso, work to end of row.

Rep dec on alt rows 21 times more = (42) 45 (47) 50 sts.

Cont until work meas (20) 20 (23) 23 cm, end with a full or half diagram B.

Cast off.

LEFT FRONT

= (63) 66 (68) 71 sts.

Work in the same manner as right front, but in a mirror image and dec for v-neck on RS rows as follows: Work until 3 sts rem, k2tog, 1 edge st.

SLEEVES

With 2.5 mm circular ndl cast on (91) 91 (103) 103 sts and k 5 rows back and forth = 3 ridges. Change to 3 mm circular ndl.

Work diagram B inside 1 edge st at each side until sleeve meas approx 19 cm, end with a full diagram.

Cont with short rows in this manner:

Work k sts until 5 sts rem, turn, 1 yo, work k sts until 5 sts rem, turn, 1 yo. Cont in this manner and turn 5 sts before previous turning until a total of (8) 8 (9) 9 times at each side.

K 2 rows over all sts, at the same time work yo tog with next st to avoid holes.

Cast off.

Work other sleeve in the same manner

FINISHING

Sew shoulder seams and ensure a nice match of pattern.

Sew sleeve seams. Sew sleeves on.

FRONT BAND

With 2.5 mm circular ndl knit up 1 st every ridge at left front edge, 1 st every st/row, but miss approx every 4th st/row at neck back, and 1 st every ridge at right front edge = approx (456) 456 (470) 470 sts.

K 5 rows back and forth.

Cast off.

